



675
C.C.

Patons Kidstuff



Patons
Canadiana
chunky





Patons **Kidstuff**

Design number 1	shown on front cover	page 5
Design number 2	shown on pages 2 and 3	page 8
Design number 3	shown on page 26	page 1
Design number 4	shown on page 27	page 1
Design number 5	shown on back cover	page 2
Helpful Hints		page 2



We recommend *Lightning* zippers.

Each pattern in this book has been rated according to its level of difficulty.
Please refer to page 16 for an explanation of the ratings used.

Every effort has been taken to ensure the accuracy of these instructions.
Coats Patons, however, cannot accept responsibility for typographical errors or
misinterpretation of instructions.

Please note: Needle Conversion Chart located on page 11.

© COATS PATONS - COATS CANADA INC., 1992
1001 ROSELAWN AVE., TORONTO M6B 1B8

In the U.S.A. by Susan Bates Greenville SC 29615

Printed in Canada.

Design number 1 shown on front cover



SIZES

Chest measurement

4	23	ins	[	58	"	]
6	24½	"	[	61	"	]
8	26	"	[	66	"	]

Finished chest

4	28	ins	[	71	"	]
6	30	"	[	76	"	]
8	32	"	[	81	"	]

MATERIALS

Patons Canadiana Chunky (100 g)

Size	4	6	8
Main B (7457)	3	3	4 balls
Contrast A (7453)	1	1	1 ball
Contrast C (7411)	1	1	1 ball
Contrast D (7416)	1	1	1 ball
Contrast E (7460)	1	1	1 ball

One 4½ mm (U.S. 7) and one 6 mm (U.S. 10) circular knitting needle 60 cm long. One set of four 4½ mm (U.S. 7) and 6 mm (U.S. 10) double pointed needles or whichever needles you require to produce the tension given below. Four stitch holders.

TENSION

15 sts and 20 rows = 4 ins [10 cm] with 6 mm needles in stocking st.

INSTRUCTIONS

The instructions are written for smallest size. If changes are necessary for larger sizes the instructions will be written thus ().

Note: Body is worked in one piece to arm-holes.

Carry yarn not in use loosely across wrong side of work but never over more than 3 sts. When it must pass over more than 3 sts, weave it over and under colour in use on next st or at centre point of sts it passes over. The colours are never twisted around one another.

BODY


With B and 4½ mm circular needle cast on 108 (114-120) sts. Join in round and placing a marker on 1st st, work 2 ins [5 cm] in (K1. P1) ribbing.

Change to 6 mm circular needle and knit in rounds until work from beginning measures 3½ (4-4½) ins [9 (10-11) cm].

Reading rows from right to left, work Chart I to end of chart. Break A, C, D and E. Chart I shown on page 7.

With B, continue knitting in rounds until work from beginning measures 10 (11-12) ins [25 (28-31) cm].

Next round: K3 (4-4). Slip these 3 (4-4) sts and last 3 (4-4) sts of previous round onto first



st holder for armhole. 6 (8-8) sts on st holder. K54 (57-60). Slip last 6 (8-8) sts just worked onto second st holder for armhole. Knit to end of round. **Do not break yarn.**

SLEEVES

With B and set of four 4½ mm needles cast on 30 (30-32) sts. Divide these sts onto 3 needles. Join in round and placing a marker on 1st st, work 2 ins [5 cm] in (K1. P1) ribbing increasing 6 sts evenly across last round. 36 (36-38) sts in round.

Change to set of four 6 mm needles and knit in rounds increasing 1 st beginning and end of 5th and every following 4th round to 42 (44-44) sts in round, then every 6th round to 46 (50-54) sts in round.

Continue even until sleeve from beginning measures 8½ (10-12½) ins [22 (25-32) cm].

Next round: K3 (4-4). Slip these 3 (4-4) sts and last 3 (4-4) sts of previous round onto st holder for armhole. 6 (8-8) sts on st holder. Break yarn leaving a 12 inch [31 cm] long end for grafting.

YOKE

With B and 6 mm circular needle *knit across 40 (42-46) sts of sleeve. Knit across 48 (49-

52) sts of body. Repeat from * once. Mark last st as end of round. 176 (182-196) sts in round.

Knit 3 rounds even.

Size 4 only: Next round: (K42. K2tog) 4 times. 172 sts in round.
Knit 3 rounds even.

All sizes: Next round: *K41 (20-17). K2tog. Repeat from * to last 0 (6-6) sts. K0 (6-6). 168 (174-186) sts in round.

Size 4 only: Reading rows from right to left, work Chart II to end of chart. 84 sts in round.

Size 6 only: Reading rows from right to left, work rows 1 to 31 of Chart III. 87 sts in round.

Size 8 only: Reading rows from right to left, work Chart III to end of chart. 93 sts in round.

All sizes: Next round: *K3 (5-5). K2tog. Repeat from * to last 4 (10-2) sts. K4 (10-2). 68 (76-80) sts in round.

NECKBAND

Change to set of four 4½ mm needles and work 2½ (3-3) ins [6 (8-8) cm] in (K1. P1) ribbing. Cast off loosely in ribbing. Fold neckband in half to wrong side and sew loosely in position. Graft underarm seams. **Do not press.** Pin to measurements and cover with a damp cloth leaving to dry on garment.

GRAFTING






Chart I



6 stitch repeat

Start here


Chart II



6 stitch repeat

Start here

Chart III



6 stitch repeat

Start here

Key

-  = Main Colour B
-  = Contrast A
-  = Contrast C
-  = Contrast D
-  = Contrast E
-  = K2tog



SIZES

Chest measurement

4	23	ins	[58	cm]
6	24½	"	[61	"]
8	26	"	[66	"]
10	27½	"	[70	"]

Finished chest

4	30	ins	[76	cm]
6	32	"	[81	"]
8	34	"	[86	"]
10	36	"	[91	"]

MATERIALS

Patons Canadiana Chunky (100 g)

Size 4 6 8 10

Flowered Version

Main B (7411)	4	5	5	6	balls
Contrast A (7453)	1	1	1	1	ball
Contrast C (7460)	1	1	1	1	ball
Contrast D (7455)	1	1	1	1	ball

Striped Bands Version

Main B (7453)	5	5	6	7	balls
Contrast A (7411)	1	1	1	1	ball

Plain Version

(7460)	5	6	7	8	balls
--------	---	---	---	---	-------




Two 4½ mm (U.S. 7) and two 6 mm (U.S. 10) knitting needles or whichever needles you require to produce the tension given below. One 6 inch [15 cm] zipper. Two stitch holders for striped bands or plain version.

TENSION

15 sts and 20 rows = 4 ins [10 cm] with 6 mm needles in stocking st.

INSTRUCTIONS

The instructions are written for smallest size. If changes are necessary for larger sizes the instructions will be written thus ().



To shape shoulder: Cast off 9 (9-10-10) sts beginning next row. Work 1 row even. Cast off remaining 9 (10-10-11) sts.

With wrong side of work facing, join yarn to remaining 28 (30-32-34) sts and pattern to end of row.

To shape neck: Next row: Cast off 5 (6-6-7) sts (neck edge). Pattern to end of row.

then on following 2 (2-3-3) alternate rows. 18 (19-20-21) sts on needle.
Work 5 (3-3-3) rows even, thus ending with right side facing for next row.

To shape shoulder: Cast off 9 (9-10-10) sts beginning next row. Work 1 row even. Cast off remaining 9 (10-10-11) sts.

SLEEVES

With A and 4½ mm needles cast on 29 (31-31-33) sts.
Work from ** to ** as given for back.

14th row: (Wrong side). With B, purl increases- ing 12 sts evenly across. 41 (43-43-45) sts on needle.

Change to 6 mm needles and work Chart V in stocking st to end of chart reading **knit** rows from **right** to left and **purl** rows from **left** to **right**.
Chart V shown on page 12.

HOOD

With B and 6 mm needles cast on 63 (67-69-71) sts.

Proceed in stocking st decreasing 1 st each end of needle on 3rd and every row to 57 (61-63-65) sts on needle.

Continue even until work from beginning measures 1 1/4 (12-12 1/2-13) ins [29 (31-32-33) cm] ending with right side facing for next row. Cast off. Fold hood in half with wrong sides together and sew cast off edge together at top.

To make hood edging: With right side of work facing, C and 4½ mm needles, pick up and knit 85 (91-95-97) sts along front edge of hood. Beginning on a 2nd row, work 1 row in (K1, P1) ribbing as given for back.

With B, work 2 rows ribbing.

FLOWERED VERSION

Note: When working from charts, wind small balls of the colours to be used, one for each separate area of colour in the design. Start new colours at appropriate points. To change colours, twist the two colours around each other where they meet, on wrong side, to avoid a hole.

BACK

65) With A and 4½ mm needles cast on 53 (57-61-65) sts:
 **1st row: (Right side). K1. *P1. K1. Repeat from * to end of row. Break A.
 2nd row: With B, P1. *K1. P1. Repeat from * to end of row.

Change to 6 mm needles and work Chart IV in stocking st to end of chart reading **knit** row from **right** to left and **purl** rows from left to right noting back neck edge.

FRONT

Work as given for back noting that front neck fastening indicated on Chart IV is worked as follows:

63rd (67th-67th-71st) row of chart: Pattern across 28 (30-32-34) sts. Leave these sts on a spare needle. Cast off next st (centre st). Pattern to end of row. Continue on last 28 (30-32-34) sts.

Work 23 rows even from chart, thus ending with right side facing for next row.

To shape neck: Next row: Cast off 5 (6-6-7)

Decrease 1 st at neck edge on next 3 rows, then on following 2 (2-3-3) alternate rows. 18 (19-20-21) sts on needle.
Work 6 (4-4-4) rows even, thus ending with **wrong** side facing for next row.

With A, work 2 rows ribbing. Cast off in ribbing.

FRONT EDGING

With right side of work facing, B and 4½ mm needles, pick up and knit 21 sts down left front edge to centre cast off st and 21 sts up right front edge to neck edge. 42 sts on needle. Cast off knitways (wrong side).

TO MAKE UP

Sew shoulder seams. Sew cast on edge of hood to neck edge of garment. Sew zipper in position under front edging noting that zipper length will be shortened to 5 ins [13 cm]. Place markers on front and back side edges 7½ (8-8½-9) ins [19 (20.5-21.5-23) cm] down from shoulder seams. Sew in sleeves between markers. Sew side and sleeve seams. **Do not press.**

STRIPED BANDS VERSION

POCKET LINING

With B and 6 mm needles cast on 33 (35-37-39) sts and work 10 (12-12-14) rows in stocking st thus ending with right side facing for next row. Leave these sts on a spare needle.

FRONT

***With A and 4½ mm needles cast on 53 (57-61-65) sts.

****1st row: (Right side). K1. *P1. K1. Repeat from * to end of row. Break A.

2nd row: With B, P1. *K1. P1. Repeat from * to end of row.

3rd row: With B, as 1st row.

4th and 5th rows: With A, as 2nd and 1st rows.

Repeat last 4 rows twice more.***

14th row: (Wrong side). With B, purl increasing 4 sts evenly across. 57 (61-65-69) sts on needle.***

Change to 6 mm needles and proceed in stocking st for 10 (12-12-14) rows, thus ending with right side facing for next row.

To shape pocket opening: Next row: Slip first 12 (13-14-15) sts onto a stitch holder. Join yarn to remaining sts. K33 (35-37-39). **Turn.** Leave remaining 12 (13-14-15) sts on a stitch holder.

Work a further 21 (25-25-27) rows stocking st across these 33 (35-37-39) sts thus ending 10

with right side facing for next row. Break yarn. Leave these sts on a spare needle.

To continue pocket lining: With right side of work facing, join yarn to first 12 (13-14-15) sts on stitch holder. Knit these sts, then K33 (35-37-39) sts of pocket lining and 12 (13-14-15) sts from second stitch holder. 57 (61-65-69) sts on needle.

Work a further 21 (25-25-27) rows stocking st thus ending with right side facing for next row.

Next row: K12 (13-14-15). (K2tog taking 1 st from pocket opening section and 1 st from pocket lining section) 33 (35-37-39) times. Knit to end of row. 57 (61-65-69) sts on needle. Pocket lining section is now knit into front.

Continue in stocking st until work from beginning measures 10½ (12½-14-16) ins [27 (32-36-41) cm] ending with right side facing for next row.

To divide front: Next row: K28 (30-32-34). Leave these sts on a spare needle. Cast off next st (centre st). Knit to end of row. Continue on last 28 (30-32-34) sts.

Work 23 rows even, thus ending with right side facing for next row.

To shape neck: Next row: Cast off 5 (6-6-7) sts (neck edge). Knit to end of row. Work 1 row even.

Decrease 1 st at neck edge on next 3 rows, then on following 2 (2-3-3) alternate rows. 18 (19-20-21) sts on needle.

Work 6 (4-4-4) rows even, thus ending with **wrong** side facing for next row.

To shape shoulder: Cast off 9 (9-10-10) sts beginning next row. Work 1 row even. Cast off remaining 9 (10-10-11) sts.

With **wrong** side of work facing, join yarn to remaining 28 (30-32-34) sts and purl to end of row.

Work 23 rows even, thus ending with **wrong** side facing for next row.

To shape neck: Next row: Cast off 5 (6-6-7) sts (neck edge). Purl to end of row.

Decrease 1 st at neck edge on next 3 rows, then on following 2 (2-3-3) alternate rows. 18 (19-20-21) sts on needle.

Work 5 (3-3-3) rows even, thus ending with right side facing for next row.

To shape shoulder: Cast off 9 (9-10-10) sts

beginning next row. Work 1 row even. Cast off remaining 9 (10-10-11) sts.

BACK

Work from *** to *** as given for front.

Change to 6 mm needles and proceed in stocking st until work from beginning measures same length as front to beginning of shoulder shaping thus ending with right side facing for next row.

To shape shoulders: Cast off 9 (9-10-10) sts beginning next 2 rows, then 9 (10-10-11) sts beginning following 2 rows. Cast off remaining 21 (23-25-27) sts.

SLEEVES

With A and 4½ mm needles cast on 29 (31-31-33) sts.

Work from **** to **** as given for front. 14th row: With B, purl increasing 12 sts evenly across. 41 (43-43-45) sts on needle.

Change to 6 mm needles and proceed in stocking st increasing 1 st each end of needle on 5th and following 4th rows to 51 (55-59-59) sts on needle, then every following 6th row to 57 (61-65-69) sts on needle.

Continue even until work from beginning measures 11 (13-15-16) ins [28 (33-38-41) cm] ending with right side facing for next row. Cast off.

HOOD

Work as given for Flowered Version.

PLAIN VERSION

Work as given for Striped Bands Version omitting all reference to contrast A.

Needle Conversion Chart

Canadian and U.K. sizes	Metric sizes	U.S. sizes
000	10	15
00	9	13
0	8	11
1	7½	-
2	7	-
3	6½	10½
4	6	10
5	5½	9
6	5	8
7	4½	7
8	4	6
9	3¾	5
-	3½	4
10	3¼	3
11	3	2
12	2¾	1
13	2½	0
14	2	-
15	1¾	-

We recommend MILWARD and Susan Bates "Quicksilver"® knitting needles.

POCKET BORDERS

With right side of work facing, A and 4½ mm needles, pick up and knit 19 (21-21-25) sts along pocket opening.
Beginning on a 2nd row, work 1 row in (K1, P1) ribbing as given for back.
With B, work 2 rows ribbing.
With A, work 2 rows ribbing. Cast off in ribbing.


FRONT EDGING

To make hood edging: With right side of work facing, A and 4½ mm needles, pick up and knit 85 (91-95-97) sts along front edge of hood.
Beginning on a 2nd row, work 1 row in (K1, P1) ribbing as given for back.
With B, work 2 rows ribbing.
With A, work 2 rows ribbing. Cast off in ribbing.

5/9

5/9

Chart V



- Key
-  = Main Colour B
 -  = Contrast A
 -  = Contrast C
 -  = Contrast D



SIZES

Chest measurement

4	23	ins	[58	cm]
6	24½	"	[61	"]
8	26	"	[66	"]
10	27½	"	[70	"]

Finished chest

2	26	ins	[66	cm]
4	28	"	[71	"]
6	30	"	[76	"]
8	32	"	[81	"]

MATERIALS


Patons Canadiana Chunky (100 g)

Size	4	6	8	10
Main B (7457)	4	4	5	6 balls
Contrast A (7460)	1	2	2	2 balls
Contrast C (7411)	1	1	1	1 ball

Two 4½ mm (U.S. 7) and two 6 mm (U.S. 10) knitting needles or whichever needles you require to produce the tension given below. Four stitch holders.

TENSION

15 sts and 20 rows = 4 ins [10 cm] with 6 mm needles in stocking st.



INSTRUCTIONS

The instructions are written for smallest size. If changes are necessary for larger sizes the instructions will be written thus ().

Note: Carry yarn not in use loosely across wrong side of work but never over more than 5 sts. When it must pass over more than 5 sts, weave it over and under colour in use on next st or at centre point of sts it passes over. The colours are never twisted around one another. Always carry B or A above C.

BACK

With B and 4½ mm needles cast on 53 (57-61-65) sts.


1st row: (Right side). K1. *P1. K1. Repeat from * to end of row.

2nd row: P1. *K1. P1. Repeat from * to end of row.

Repeat these 2 rows (K1. P1) ribbing 4 times more, then 1st row once.


12th row: Rib, increasing 4 sts evenly across. 57 (61-65-69) sts on needle.


Change to 6 mm needles and proceed in stocking st until work from beginning measures 10½ (11½-13-14) ins [27 (29-33-36) cm] ending with right side facing for next row.



Continued on page 16.

Chart IV





- Key
-  = Main Colour B
 -  = Contrast A
 -  = Contrast C
 -  = Contrast D

Start Here

Continued from page 13.

Work Chart VI in stocking st to end of chart reading **knit** rows from **right** to left and **purl** rows from **left** to right noting that remaining 19 (21-23-25) sts of back neck edge are left on a st holder and that raglan decreases are worked as follows:

Sl1. K1. psso at beginning of row and K2tog at end of row.

FRONT

Work as given for back noting front neck shaping and that centre 9 (9-11-11) sts of front neck edge are left on a st holder.

2 sts will remain at each side of neck edge.

Next row: P2

Next row: Work 2tog. Fasten off.

SLEEVES

With B and 4½ mm needles cast on 29 (31-31-33) sts. Work 11 rows in (K1. P1) ribbing as given for back.

12th row: Rib, increasing 10 (12-14-14) sts evenly across. 39 (43-45-47) sts on needle.

Change to 6 mm needles and proceed in stocking st increasing 1 st each end of needle on 5th and following 4th rows to 49 (51-55-65) sts on needle, then every following 6th row to 53 (59-63-71) sts on needle.

Continue even until work from beginning measures 10½ (12½-14½-15½) ins [27 (32-37-40)

cm] ending with right side facing for next row.

Work Chart VII in stocking st to end of chart reading **knit** rows from **right** to left and **purl** rows from **left** to right noting that remaining 7 sts are left on a st holder and that raglan decreases are worked as follows:

Right side rows: Sl. K1. psso at beginning of row and K2tog at end of row.

Wrong side rows: P2tog at beginning of row and P2togtbl at end of row.

NECKBAND

Sew raglan seams leaving left back raglan seam open. With right side of work facing, B and 4½ mm needles, knit across 7 sts from left sleeve st holder. Pick up and knit 9 (11-11-13) sts down left front neck edge. Knit across 9 (9-11-11) sts from front st holder. Pick up and knit 9 (11-11-13) sts up right front neck edge. Knit across 7 sts from right sleeve st holder and 19 (21-23-25) sts from back st holder decreasing 1 st at centre. 59 (65-69-75) sts on needle.

Beginning and ending on a 2nd row, work 2 (2½-2½-3) ins [5 (6-6-8) cm] in (K1. P1) ribbing as given for back. Cast off loosely in ribbing. Sew left back raglan and neckband seam. Fold neckband in half to wrong side and sew loosely in position.

TO MAKE UP

Sew side and sleeve seams. **Do not press.** Pin to measurements and cover with a damp cloth leaving to dry on garment.

Pattern Ratings



One Beehive means an easy knit. This includes knit and purl stitches with some basic increasing and decreasing.



Two Beehives mean an average knit. These require more complicated shaping and some specialized knowledge, such as colour block, fair isle or aran techniques.




Three Beehives mean a challenge knit. These require an extra degree of concentration. They may combine several techniques and more complicated shaping.



These require an extra degree of patience.


Chart VI



Key

-  = Main Colour B
-  = Contrast A
-  = Contrast C

Chart VII



Design number 4 shown on page 27



SIZES

Chest measurement

4	23	ins	[58	cm]
6	24½	"	[61	"]
8	26	"	[66	"]
10	27½	"	[70	"]

Finished chest

4	30	ins	[76	cm]
6	32	"	[81	"]
8	34	"	[86	"]
10	36	"	[91	"]

MATERIALS

Patons Canadiana Chunky (100 g)

Size	4	6	8	10
Main B (7460)	4	4	5	6 balls
Contrast A (7456)	1	1	1	2 balls
Contrast C (7411)	1	1	1	1 ball
Contrast D (7416)	1	1	1	1 ball

Two 4½ mm (U.S. 7) and two 6 mm (U.S. 10) knitting needles or whichever needles you require to produce the tension given below. One separating zipper.

TENSION

15 sts and 20 rows = 4 ins [10 cm] with 6 mm needles in stocking st.

INSTRUCTIONS

The instructions are written for smallest size. If changes are necessary for larger sizes the instructions will be written thus ().

LEFT FRONT




With B and 4½ mm needles cast on 26 (28-30-32) sts.

1st row: (Right side). K1. *P1. K1. Repeat from * to last st. K1.

2nd row: *K1. P1. Repeat from * to end of row. Repeat these 2 rows ribbing 4 times more, then 1st row once.

12th row: Rib, increasing 2 sts evenly across.

18



28 (30-32-34) sts on needle.

Change to 6 mm needles and proceed in pattern as follows:

1st row: (Right side). Knit.

2nd row: K1. *P4. K2. Repeat from * to last 3 (5-1-3) sts. P3 (4-1-3). K0 (1-0-0).

3rd row: Knit.

4th row: P2. *K2. P4. Repeat from * to last 2 (4-0-2) sts. K2 (2-0-2). P0 (2-0-0).

These 4 rows form pattern.

***Continue in pattern until work from beginning measures 6½ (8-9½-11½) ins [17 (21-24-29) cm] ending with right side facing for next row.

****Next 2 rows:** With C, knit.

Work Chart VIII in stocking st to end of chart reading knit rows from right to left and purl rows from left to right.

Next 2 rows: With C, purl.**

With A, purl 1 row.

With A, work 12 rows in pattern.

Work from ** to ** once.

With B, purl 1 row.***

Continue in pattern until work from beginning measures 15½ (17-19-21) ins [40 (43-48-54) cm] ending with wrong side facing for next row.

To shape neck: Next row: Cast off 4 (5-5-6) sts (neck edge). Pattern to end of row.

Keeping continuity of pattern, decrease 1 st at neck edge on next 3 rows, then on following 2 (2-3-3) alternate rows. 19 (20-21-22) sts on needle.

Work 3 rows even in pattern, thus ending with right side facing for next row.

To shape shoulder: Cast off 9 (10-10-11) sts beginning next row. Work 1 row even. Cast off remaining 10 (10-11-11) sts.

RIGHT FRONT

With B and 4½ mm needles cast on 26 (28-30-32) sts.

1st row: (Right side). K2. *P1. K1. Repeat from * to end of row.

2nd row: *P1. K1. Repeat from * to end of row. Repeat these 2 rows ribbing 4 times more, then 1st row once.

12th row: Rib, increasing 2 sts evenly across. 28 (30-32-34) sts on needle.

Change to 6 mm needles and proceed in pattern as follows:

1st row: (Right side). Knit.

2nd row: P3 (0-1-3). K2 (1-2-2). *P4. K2. Repeat from * to last 5 sts. P4. K1.

3rd row: Knit.

4th row: K2 (0-0-2). P4 (2-4-4). *K2. P4. Repeat from * to last 4 sts. K2. P2.

These 4 rows form pattern.

Work from *** to *** as given for left front.

Continue in pattern until work from beginning measures 15½ (17-19-21) ins [40 (43-48-54) cm] ending with right side facing for next row.

To shape neck: Next row: Cast off 4 (5-5-6) sts (neck edge). Pattern to end of row.

Work 1 row even.

Keeping continuity of pattern, decrease 1 st at neck edge on next 3 rows, then on following 2 (2-3-3) alternate rows. 19 (20-21-22) sts on needle.

Work 4 rows even in pattern, thus ending with wrong side facing for next row.

To shape shoulder: Cast off 9 (10-10-11) sts beginning next row. Work 1 row even. Cast off remaining 10 (10-11-11) sts.

BACK

With B and 4½ mm needles cast on 53 (57-61-65) sts.

1st row: (Right side). K1. *P1. K1. Repeat from * to end of row.

2nd row: P1. *K1. P1. Repeat from * to end of row.

Repeat these 2 rows ribbing 4 times more, then 1st row once.

12th row: Rib increasing 3 sts evenly across. 56 (60-64-68) sts on needle.

Change to 6 mm needles and proceed in pattern as follows:

1st row: (Right side). Knit.

2nd row: P3 (0-1-3). K2 (1-2-2). *P4. K2. Repeat from * to last 3 (5-1-3) sts. P3 (4-1-3). K0 (1-0-0).

3rd row: Knit.

4th row: K2 (0-0-2). P4 (2-4-4). *K2. P4. Repeat from * to last 2 (4-0-2) sts. K2 (2-0-2). P0 (2-0-0).

These 4 rows form pattern.

Work from *** to *** as given for left front.

Continue in pattern until work from beginning measures same length as front to beginning of shoulder shaping thus ending with right side facing for next row.

To shape shoulders: Cast off 9 (10-10-11) sts beginning next 2 rows, then 10 (10-11-11)

sts beginning following 2 rows. Cast off remaining 18 (20-22-24) sts.

SLEEVES

With B and 4½ mm needles cast on 29 (31-31-33) sts.

Work 11 rows in (K1, P1) ribbing as given for back.

12th row: (Wrong side). With B, purl increasing 11 (9-13-11) sts evenly across. 40 (40-44-44) sts on needle.

Change to 6 mm needles and with C, knit 2 rows.

Work Chart VIII in stocking st to end of chart reading **knit** rows from **right** to left and **purl** rows from **left** to right.

With C, purl 2 rows.

Next row: With B, purl.

Proceed in pattern as given for size 8 (8-4-4) of back increasing 1 st each end of needle on 3rd and following 4th rows to 52 (60-64-68) sts on needle taking increased sts into pattern.

Continue even until work from beginning measures 11 (13-15-16) ins [28 (33-38-41) cm] ending with right side facing. Cast off.

COLLAR

With B and 4½ mm needles, cast on 3 sts, then with C, cast on 2 sts. 5 sts on needle.

1st row: (Right side). With C, K2. With B, increase 1 st in each of next 2 sts. K1.

2nd row: With B, K5. With C, P2.

3rd row: With C, K2. With B, increase 1 st in next st. Knit to last 2 sts. Increase 1 st in next st. K1.

4th row: With B, knit to last 2 sts. With C, P2. Repeat last 2 rows to 17 (17-19-19) sts on

needle ending with right side facing for next row.

Next row: With C, K2. With B, increase 1 st in next st. Knit to end of row.

Next row: With B, knit to last 2 sts. With C, P2. Repeat last 2 rows to 21 (21-22-22) sts on needle.

Continue even until work from cast on edge measures 9½ (10-10½-10½) ins [24 (25-26-26) cm] ending with right side facing for next row.

Next row: With C, K2. With B, Sl1. K1. pssso. Knit to end of row.

Next row: With B, knit to last 2 sts. With C, P2. Repeat last 2 rows to 17 (17-19-19) sts on needle ending with right side facing for next row.

Next row: With C, K2. With B, Sl1. K1. pssso. Knit to last 3 sts. K2tog. K1.

Next row: With B, knit to last 2 sts. With C, P2. Repeat last 2 rows to 5 sts on needle ending with right side facing for next row. Cast off.


FRONT EDGING

With right side of work facing, C and 4½ mm needles, pick up and knit 59 (65-73-79) sts along each front edge between neck shaping and bottom edge. Cast off knitways (wrong side).

TO MAKE UP

Sew shoulder seams. Place markers on front and back side edges 7 (8-8½-9) ins [18 (20-22-23) cm] down from shoulder seams. Sew in sleeves between markers. Sew side and sleeve seams. Sew collar in position having cast on and cast off ends of collar along cast off edges of fronts. Sew zipper in position under front edgings. **Do not press.** Pin to measurements and cover with a damp cloth leaving to dry on garment.

Chart VIII



Start
here

2 st repeat

Key

-  = Contrast A
-  = Contrast C
-  = Contrast D

Design number 5 shown on back cover



SIZES

Chest measurement

4	23	ins	[	58	cm	]
6	24½	"	[	62	"	]
8	26	"	[	66	"	]
10	27½	"	[	70	"	]

Finished chest

4	31	ins	[	79	cm	]
6	33	"	[	84	"	]
8	36	"	[	91	"	]
10	39	"	[	99	"	]

MATERIALS

Patons Canadiana Chunky (100 g)

Size	4	6	8	10	
Cardigan (7460)	5	6	7	8	balls
Pullover (7455)	5	6	7	8	balls




Two 4½ mm (U.S. 7) and two 6 mm (U.S. 10) knitting needles **or whichever needles you require to produce the tension given below**. One cable needle or double pointed needle. 5 buttons for cardigan. Two stitch holders for pullover.


TENSION

15 sts and 20 rows = 4 ins [10 cm] with 6 mm needles in stocking st.

SPECIAL ABBREVIATION

C6F = slip next 3 sts onto a cable needle and leave at front of work. K3, then K3 from cable needle.





INSTRUCTIONS

The instructions are written for smallest size. If changes are necessary for larger sizes the instructions will be written thus ().

CARDIGAN

BACK

****With 4½ mm needles cast on 59 (63-69-75) sts.**

1st row: (Right side). K1. *P1. K1. Repeat from * to end of row.

2nd row: P1. *K1. P1. Repeat from * to end of row.

Repeat these 2 rows (K1. P1) ribbing 4 times more, then 1st row once.

12th row: Rib, increasing 4 sts evenly across. 63 (67-73-79) sts on needle.

Change to 6 mm needles and proceed in pattern as follows:

1st row: (Right side). Knit.

2nd row: Purl.

3rd row: Knit.

4th row: K9 (11-1-4). (P6. K7) 4 (4-5-5) times. P0 (0-6-6). K2 (4-1-4).

5th row: K9 (11-1-4). (C6F. K7) 4 (4-5-5) times. (C6F) 0 (0-1-1) time. K2 (4-1-4).

6th row: As 4th row.

7th row: Knit.

8th row: Purl.

These 8 rows form pattern.

Continue in pattern until work from beginning measures 10½ (11½-13-14) ins [27 (29-33-36) cm] ending with right side facing for next row.

To shape raglans: Keeping continuity of pattern, cast off 2 sts beginning next 2 rows.

Size 4 only: 1st row: K1. Sl1. K1. psso. Pattern to last 3 sts. K2tog. K1.

2nd row: P1. P2tog. Pattern to last 3 sts. P2togtbl. P1.

3rd row: As 1st row.

4th row: P2. Pattern to last 2 sts. P2.

All sizes: 1st row: K1. Sl1. K1. psso. Pattern to last 3 sts. K2tog. K1.

2nd row: P2. Pattern to last 2 sts. P2.**

Repeat last 2 rows to 21 (23-25-27) sts on needle ending with right side facing for next row. Cast off.

LEFT FRONT

With 4½ mm needles cast on 30 (32-34-38) sts.

1st row: (Right side). *K1. P1. Repeat from * to last 2 sts. K2.

2nd row: *K1. P1. Repeat from * to end of row. Repeat these 2 rows ribbing 4 times more, then 1st row once.

12th row: Rib, increasing 1 (1-2-1) sts evenly across. 31 (33-36-39) sts on needle.

Change to 6 mm needles and proceed in pattern as follows:

1st row: (Right side). Knit.

2nd row: Purl.

3rd row: Knit.

4th row: K3. (P6. K7) twice. P0 (0-6-6). K2 (4-1-4).

5th row: K9 (11-1-4). (C6F. K7) 1 (1-2-2) times. C6F. K3.

6th row: As 4th row.

7th row: Knit.

8th row: Purl.

These 8 rows form pattern.

Continue in pattern until work from beginning measures same length as back to beginning of raglan shaping ending with right side facing for next row.

To shape raglan and front: Cast off 2 sts beginning next row.

Work 1 row even in pattern.

Size 4 only: 1st row: K1. Sl1. K1. psso. Pattern to last 2 sts. K2tog (front edge).

2nd row: Pattern to last 3 sts. P2togtbl. P1.

3rd row: K1. Sl1. K1. psso. Pattern to end of row.

4th row: Pattern to last 2 sts. P2.

All sizes: 1st row: K1. Sl1. K1. psso. Pattern to last 2 sts. K2tog (front edge).

2nd row: Pattern to last 2 sts. P2.

3rd row: K1. Sl1. K1. psso. Pattern to end of row.

4th row: As 2nd row.

Repeat last 4 rows to 4 sts on needle, thus ending with right side facing for next row.

1st row: K1. Sl1. K1. psso. K1.

2nd row: P3.

3rd row: Sl1. K1. psso. K1.

4th row: P2.

5th row: Sl1. K1. psso. Fasten off.

RIGHT FRONT

With 4½ mm needles cast on 30 (32-34-38) sts.

1st row: (Right side). K2. *P1. K1. Repeat from * to end of row.

2nd row: *P1. K1. Repeat from * to end of row. Repeat these 2 rows ribbing 4 times more, then 1st row once.

12th row: Rib, increasing 1 (1-2-1) sts evenly across. 31 (33-36-39) sts on needle.

Change to 6 mm needles and proceed in pattern as follows:

1st row: (Right side). Knit.

2nd row: Purl.

3rd row: Knit.

4th row: K9 (11-1-4). (P6. K7) 1 (1-2-2) times. P6. K3.

5th row: K3. (C6F. K7) twice. (C6F) 0 (0-1-1) time. K2 (4-1-4).

6th row: As 4th row.

7th row: Knit.

8th row: Purl.

These 8 rows form pattern.**

Continue in pattern until work from beginning measures same length as back to beginning of raglan shaping ending with **wrong** side facing for next row.

To shape raglan and front: Cast off 2 sts beginning next row.

Size 4 only: 1st row: Sl1. K1. psso (front edge). Pattern to last 3 sts. K2tog. K1.

2nd row: P1. P2tog. Pattern to end of row.

3rd row: Pattern to last 3 sts. K2tog. K1.

4th row: P2. Pattern to end of row.

All sizes: 1st row: Sl1. K1. psso (front edge).

Pattern to last 3 sts. K2tog. K1.

2nd row: P2. Pattern to end of row.

3rd row: Pattern to last 3 sts. K2tog. K1.

4th row: As 2nd row.

Repeat last 4 rows to 4 sts on needle, thus ending with right side facing for next row.

1st row: K1. K2tog. K1.

2nd row: P3.

3rd row: K1. K2tog.

4th row: P2.

5th row: K2tog. Fasten off.

SLEEVES

With 4½ mm needles cast on 29 (31-31-33) sts.

1st row: (Right side). K1. *P1. K1. Repeat from * to end of row.

2nd row: P1. *K1. P1. Repeat from * to end of row.

Repeat these 2 rows (K1. P1) ribbing 4 times more, then 1st row once.

12th row: Rib, increasing 18 (18-20-20) sts evenly across. 47 (49-51-53) sts on needle.

Change to 6 mm needles and proceed in pattern as follows:

1st row: (Right side). Knit.

2nd row: Purl.

3rd row: Knit.

4th row: K1 (2-3-4). (P6. K7) 3 times. P6. K1 (2-3-4).

5th row: K1 (2-3-4). (C6F. K7) 3 times. C6F. K1 (2-3-4).

6th row: As 4th row.

7th row: Knit.

8th row: Purl.

These 8 rows form pattern.**

Continue in pattern, increasing 1 st each end of needle on next and following 6th (4th-4th-4th) rows to 51 (59-63-73) sts on needle, then every following 8th (6th-6th-6th) row to 57 (65-71-77) sts on needle taking increased sts into pattern.

Continue even in pattern until sleeve from beginning measures 11 (13-15-16) ins [28 (33-38-41) cm] ending with right side facing for next row.

To shape raglans: Keeping continuity of pattern, cast off 2 sts beginning next 2 rows.

1st row: K1. Sl1. K1. psso. Pattern to last 3 sts. K2tog. K1.

2nd row: P1. P2tog. Pattern to last 3 sts. P2togtbl. P1.

3rd row: As 1st row.

4th row: P2. Pattern to last 2 sts. P2.

Repeat last 4 rows to 23 (19-25-25) sts on needle ending with right side facing for next row.

1st row: K1. Sl1. K1. pssso. Pattern to last 3 sts. K2tog. K1.

2nd row: P2. Pattern to last 2 sts. P2.

Repeat last 2 rows to 7 (7-9-9) sts on needle ending with right side facing. Cast off.

BUTTON BAND

Sew raglan seams.

With 4½ mm needles cast on 9 sts.

1st row: (Right side). K2. (P1. K1) 3 times. K1.

2nd row: K1. (P1. K1) 4 times.

Repeat these 2 rows until band, when slightly stretched, fits up left front for her or right front for him to centre back neck ending on a 2nd row. Cast off in ribbing. Sew in position and on this band mark positions for 5 buttons evenly spaced having top button ½ inch [1 cm] below first front decrease and bottom button ½ inch [1 cm] above lower edge.

BUTTONHOLE BAND

Work as given for button band working buttonholes to correspond to button positions as follows:

Her version: (Right side). Rib 3. Cast off 2 sts. Rib to end of row.

His version: (Right side). Rib 4. Cast off 2 sts. Rib to end of row.

Both versions: **Next row:** Rib, casting on 2 sts over cast off sts.

TO MAKE UP

Sew button and buttonhole band ends together at centre back neck. Sew side and sleeve seams. Sew buttons to correspond to buttonholes. **Do not press.** Pin to measurements and cover with a damp cloth leaving to dry on garment.

PULLOVER

BACK

Work as given for back of cardigan noting that remaining 21 (23-25-27) sts are left on a st holder.

FRONT

Work from ** to ** as given for back of cardigan.

Repeat last 2 rows to 31 (33-37-41) sts on needle ending with right side facing for next row.

To shape neck: **Next row:** K1. Sl1. K1. pssso. Pattern across 7 (7-9-11) sts (neck edge).

Turn. Leave remaining sts on a spare needle.

Next row: Pattern to last 2 sts. P2.

Next row: K1. Sl1. K1. pssso. Pattern to last 2 sts. K2tog.

Repeat last 2 rows 2 (2-3-4) times more. 3 sts on needle.

Next row: P3.

Next row: K1. Sl1. K1. pssso.

Next row: P2.

Next row: Sl1. K1. pssso. Fasten off.

With right side of work facing slip next 11 (13-13-13) sts from spare needle onto a stitch holder. Join yarn to remaining sts and pattern to last 3 sts. K2tog. K1.

Next row: P2. Pattern to end of row.

Next row: Sl1. K1. pssso. Pattern to last 3 sts. K2tog. K1.

Repeat last 2 rows 2 (2-3-4) times more. 3 sts on needle.

Next row: P3.

Next row: K2tog. K1.

Next row: P2.

Next row: K2tog. Fasten off.

SLEEVES

Work as given for sleeves of Cardigan.

NECKBAND

Sew raglan seams leaving left back raglan seam open. With right side of work facing and 4½ mm needles, pick up and knit 6 (6-8-8) sts across top of left sleeve, 9 (9-11-13) sts down left front neck edge. Knit across 11 (13-13-13) sts from front st holder. Pick up and knit 9 (9-11-13) sts up right front neck edge and 6 (6-8-8) sts across top of right sleeve. Knit across 21 (23-25-27) sts from back st holder decreasing 1 st at centre. 61 (65-75-81) sts on needle.

Beginning and ending on a 2nd row, work 2½ (2½-3-3) ins [6 (6-8-8) cm] in (K1. P1) ribbing as given for back. Cast off loosely in ribbing. Sew left back raglan and neckband seam. Fold neckband in half to wrong side and sew loosely in position.

TO MAKE UP

Sew side and sleeve seams. **Do not press.** Pin to measurements and cover with a damp cloth leaving to dry on garment.

Helpful Hints

For best results, be sure to use the yarn recommended in the pattern, and purchase enough of one dye lot to complete your project. It is a good idea to retain ball bands in case of inquiry.

Before you begin to knit check your tension by making a test swatch and adjusting needle sizes, if necessary, to obtain the tension quoted in the pattern. Inaccurate tension results in a garment too large or too small. Even a variation of half a stitch makes an obvious difference in the finished size. Loose tension can result in the garment losing its shape during wear or laundering.

Before beginning, read the instructions and underline all figures applying to your size. Sizes should be chosen from actual bust or chest measurements and not age or ready-to-wear sizes.

Note: Never put an iron directly on yarns containing synthetic fibres. If pressing is required before assembly, lay each piece right side down on a clean, flat surface and pin to size using rust proof pins. Cover with a damp cloth and leave to dry.

WASHING INSTRUCTIONS

Patons Canadiana Chunky: Machine wash. Machine dry.

MACHINE WASHING

Do up buttons or zipper and turn the garment inside out. Wash the garment, preferably on its own, with a gentle cycle, using lukewarm water and detergent. Softener may be added to the final rinse. Do not use bleach.

MACHINE DRYING

Tumble dry at low setting. Do not overheat.

ABBREVIATIONS

mm	= millimetre(s)
cm	= centimetre(s)
in(s)	= inch(es)
g	= gram(s)
st(s)	= stitch(es)
inc	= increase
dec	= decrease
0	= no sts, times or rows
K	= knit
P	= purl
tbl	= through back of loop(st)
tog	= together
sl	= slip
psso	= pass slipped st over
yfwd	= yarn forward
yrn	= yarn round needle
yon	= yarn over needle

* = The star symbol is a repeat sign and means that you follow the printed instructions from the first * until you reach the second *. You will then repeat from * to * the given number of times which **does not** include the first time. The ** and *** are used in the same way.

() = The figures inside the brackets mean the instructions for the various sizes for which the pattern has been written. Brackets can also mean that the enclosed instructions are to be worked the number of times stated after the brackets.

M1 = Make one stitch by picking up horizontal loop lying before the next st and working into back of loop.

Beehive Book No. 414 "Learning to Knit" clearly illustrates all these stitches for the beginner.

U.S. KNITTERS PLEASE NOTE:

Canadian and American terminologies differ slightly. Equivalents are shown below.

Canadian	U.S.
yfwd	yarn over (yo)
yrn	yarn over (yo)
tension	gauge
cast off	bind off



 **Patons**



Printed in Canada.